



## VPT-601IPH RAL7035

Article number: 213613

Pan/Tilt Head, 360°, 100°/Sek. max., IP Version, 230V, RAL7035, heater

### Mainfeatures

Load capacity up to 12kg

Rotation range: 360° (continuous rotation)

Ready for Network Cameras

RS-485 serial interface (multiple protocol)

Housing finish: RAL7035

Maintenance-free

Speed: 100°/sec. max.

Backlash: <0,2°

Autopan function

Supply voltage: 230VAC/50Hz

Protection rating: IP65

Thermostatically controlled heater

### Specifications

|                               |   |
|-------------------------------|---|
| Pattern                       | no  |
| Autopan                       | yes   |
| Rotation range                | 360 °   |
| Speed range at manual control | 0 ~ 100° horizontal, 0 ~ 50° vertical. 0 to 100°/sec.: 0.22sec.                       |
| Preset speed                  | 0 ~ 100° horizontal, 0 ~ 50° vertical. 180° positioning needs 2.5sec. (at max. speed) |
| Tilt range                    | +/-90°  |
| Serial interfaces             | RS-422, RS-485  |
| Series                        | eneo VPT  |
| Colour (housing)              | RAL7035, Eloxal C0  |
| Housing                       | Aluminium frame with plastic covers   |
| Housing material              | aluminium, plastic  |

## VPT-601IPH RAL7035

### Continued Specifications

|  |   |
|--|---|
| Weight                                 | 12.5kg  |
| Heater                                 | yes   |
| Power consumption                      | 120W max. (incl. camera and heater)   |
| Positioned freely                      | yes   |
| Mounting of illuminator possible       | yes   |
| Protection rating                      | IP65  |
| Hidden cable management                | no  |
| Sunshield                              | no  |
| Supply voltage                         | 230VAC  |
| Temperature range (operation)          | -40°C ~ +50°C   |
| Temperature range with built-in heater | -40°C ~ +50°C   |
| Load capacity                          | (load assembly in the horizontal and vertical center of gravity required)\$ |
| Load capacity                          | 12 kg   |
| Backlash                               | <0.2°   |
| Model                                  | pan&tilt head   |

### Special features

IP camera voltage supply by external POE

## VPT-601IPH RAL7035

### Available Accessories

| Image   | Prod. No / Label       | Description   |
|---|------------------------|---|
|  | 203427 / WD-32 RAL7035 | Wall Bracket for Pan/Tilt Heads, VPT-40/601/501 Series, RAL7035 |

### Your Contact Person



eneo is a registered trademark of  
VIDEOR E. Hartig GmbH  
Carl-Zeiss-Straße 8  
63322 Rödermark  
Deutschland  
Tel.: +49 6074-888-333  
E-Mail: [info@eneo-security.com](mailto:info@eneo-security.com)  
Web: [www.eneo-security.com](http://www.eneo-security.com)