STAINLESS STEEL HOUSINGS AND CAMERAS, BRACKETS



NXWBL

NXWBS1

WALL BRACKET FOR NXL HOUSING

| Made of AISI 316L electropolished stainless steel |
|---|
| Load rating: 45kg (99lb) |
| Length: 596mm (23.5in) |
| Can be coupled with modular components: NXCOL, NXCW |



NXWBL



NXWBS1



NXCOL



NXCW



NXWTU



NXCOL POLE MOUNT ADAPTOR Made of AISI 316L electropolished stainless steel For pole diameters: from 110mm (4.3in) up to 150mm (5.9in) Load rating: 50kg (110lb) Dimensions: 180x196mm (7.0x7.7in)

NXCW CORNER MOUNT ADAPTOR Made of AISI 316L electropolished stainless steel Load rating: 50kg (110lb) Dimensions: 180x291mm (7x11.5in)

NXWTU ADAPTER MODULE FOR OBLIQUE SURFACES

| Made of AISI 316L electropolished stainless steel | |
|---|--|
| Load rating: 20kg (44lb) (static load) | |
| Dimensions: 168x234mm (6.6x9.2in) | |
| Suitable for: NXWBS1, WBOVA2, WBJA, WBMA | |



MHXWBS

| WALL MOUNT BRACKET |
|---|
| Made of AISI 316L electropolished stainless steel |
| Load rating: 40kg (88lb) |
| Length: 440mm (17.3in) |
| Suitable for: MPXCW, MPXCOL |



MHXWBS

MHXWFWCA

| Made of AISI 316L electropolished stainless steel | |
|---|--|
| Load rating: 40kg (88lb) | |
| Dimensions: Ø 101.6mm (4in) | |
| Compatible with the bracket: NXFWBT | |



MHXWFWCA

TECHNICAL DATA

NXWBL

| MECHANICAL | |
|---|--|
| Bracket for NXL | |
| Suitable for: NXCOL, NXCW | |
| Made of AISI 316L electropolished stainless steel | |
| Load rating: 45kg (99lb) | |
| Length: 596mm (23.5in) | |
| Unit weight: 5.5kg (12.1lb) | |

PART NUMBER

NXWBL

AISI 316L stainless steel wall bracket with joint

| PACKAGE | | | |
|--------------|----------------|-----------------------------|---------------|
| Model Number | Weight | Dimensions (WxHxL) | Master carton |
| NXWBL | 5.6kg (12.3lb) | 19x16x60cm (7.5x6.3x23.6in) | - |

NXWBS1

MECHANICAL

| Bracket for NTC, NXM36, NXM, NTM, NXW, NTW | |
|---|--|
| Bracket for MVX, MVXT, MVXHD | |
| Suitable for: NXCOL, NXCW | |
| Made of AISI 316L electropolished stainless steel | |
| Load rating: 45kg (99lb) | |
| Dimensions: 371x186mm (14.6x7.3in) | |
| Unit weight: 2.5kg (5.5lb) | |
| | |
| PART NUMBER | |

| NXWBS1 | AISI 316L stainless steel wall bracket with joint | | |
|--------------|---|-------------------------------|---------------|
| PACKAGE | | | |
| Model Number | Weight | Dimensions (WxHxL) | Master carton |
| NXWBS1 | 2.8kg (6.2lb) | 16x18.5x46cm (6.3x7.3x18.1in) | 8 |

NXCOL

MECHANICAL

Suitable for NXWBS1, NXWBL, NXWBPTH1 Made of AISI 316L electropolished stainless steel For pole diameters 110-150mm (4.3-5.9in) Load rating: 50kg (110lb) Unit weight: 3.3kg (7.3lb)

PART NUMBER

NXCOL AISI 316L stainless steel pole adapter module

PACKAGE

| Model Number | Weight | Dimensions (WxHxL) | Master carton |
|--------------|---------------|-----------------------------|---------------|
| NXCOL | 3.5kg (7.7lb) | 14x25.5x20cm (5.5x10x7.9in) | 8 |

MECHANICAL

| Suitable for NXWBS1, NXWBL, NXWBPTH1 |
|---|
| Made of AISI 316L electropolished stainless steel |
| Load rating: 50kg (110lb) |
| Dimensions: 180x291mm (7x11.5in) |
| Unit weight: 1.2kg (2.6lb) |
| |
| PART NUMBER |

AISI 316L stainless steel corner adapter module

PACKAGE

NXCW

| Model Number | Weight | Dimensions (WxHxL) | Master carton |
|--------------|---------------|-------------------------------|---------------|
| NXCW | 1.3kg (2.8lb) | 24x32x24.5cm (9.4x12.6x9.6in) | 5 |

NXWTU

MECHANICAL

| Suitable for NXWBS1, WBOVA2, WBJA, WBMA brackets |
|---|
| Made of AISI 316L electropolished stainless steel |
| Load rating: 20kg (44lb) (static load) |
| Screws tightening torque: 20Nm |
| Dimensions: 168x234mm (6.6x9.2in) |
| Unit weight: 2.6kg (5.7lb) |

PART NUMBER

NXWTU

AISI 316L stainless steel adapter module for oblique surfaces

| PACKAGE | | | |
|--------------|---------------|--------------------------|---------------|
| Model Number | Weight | Dimensions (WxHxL) | Master carton |
| NXWTU | 2.8kg (6.2lb) | 24x15x21cm (9.4x6x8.2in) | 10 |

MHXWBS

MECHANICAL

| Bracket for MHX, MI | HXT, NXM, NXM36, NXM36 Hi-PoE, NXW, NTW, NTM | | | |
|-----------------------------|--|--|--|--|
| Suitable for MPXCO | L, MPXCW | | | |
| Made of AISI 316L e | lectropolished stainless steel | | | |
| Load rating: 40kg (8 | 38lb) | | | |
| Length: 440mm (17 | /.3in) | | | |
| Unit weight: 5.4kg (11.9lb) | | | | |
| PART NUMBER | | | | |
| MHXWBS | AISI 316L stainless steel wall bracket | | | |
| DACKAGE | | | | |

| PACKAGE | | | |
|--------------|----------------|----------------------------|---------------|
| Model Number | Weight | Dimensions (WxHxL) | Master carton |
| MHXWBS | 6.5kg (14.3lb) | 58x34x22cm (23x13.4x8.7in) | - |

MHXWFWCA

MECHANICAL

| Ball joint for housings: MVX, MVXT, MVXHD, MHX, MHXT, NXM, NXM36, NXM36 Hi-PoE, NXW, NTW, NTM |
|--|
| Suitable for: NXFWBT |
| Made of AISI 316L electropolished stainless steel |
| Load rating: 40kg (88lb) |
| Dimensions: Ø 101.6mm (4in) |
| Unit weight: 2kg (4.4lb) |

PART NUMBER


MHXWFWCA AISI 316L stainless steel ball joint

PACKAGE


| Model Number | Weight | Dimensions (WxHxL) | Master carton | |
|--------------|---------------|-----------------------------|---------------|--|
| MHXWFWCA | 2.5kg (5.5lb) | 19x19x19 cm (7.5x7.5x7.5in) | - | |

TECHNICAL DRAWINGS


The indicated measurements are expressed in millimetres.




196





















NXWTU

/k









MHXWBS

