

NSUR-1008M0A

242363



Gigabit Switch Rack, Unmanaged, 8x PoE, 2xSFP, max. 30W each Port, integrated Power Supply max. 150W

Main Features

8 RJ45 ports with 10/100/1000 Mbps	MAC address auto-learning & aging
2 Gigabit SFP fiber ports for uplink	Switching capacity: 20 Gbps backplane
8 PoE+ ports, up to 30W per port	Forwarding rate up to 14.88 Mpps
Total PoE power budget: 150 Watts	Jumbo frame support up to 10K bytes
Supports IEEE 802.3af/at standard	Sturdy metal case, 271×181×44mm
Store-and-forward switching mode	Operating temperature: 0-45°C

Specifications

Other	
Dimensions (HxWxD)	44.5x271x181.5mm
Construction	Desktop
Trunk	IEC61000-4-2,IEC61000-4-5
Internal switching capacity (Gbit/s)	20 Gbps
Internal switching capacity (Mpps)	14,88Mpps
Parts supplied	manual,19" rack mount angle,power cord
Multicast compliant	no
Ethernet standards	IEEE 802.3 10BaseT,IEEE 802.3u 100BaseTX,IEEE 802.ab 1000BaseT,IEEE 802.3z 1000BaseSX/LX,IEEE 802.3at Power Over Ethernet (PoE+),IEEE 802.3af Power Over Ethernet (PoE)

NSUR-1008M0A

Optical connector	SFP Port
Port mirror	no
QoS	no
SNMP	no
Type	Unmanaged
Series	eneo Switch
Mounting	19" rack, desktop
Blower	no
Ethernet interface	1000Base-T, 100Base-TX, 10Base-T
VLAN	no
Ports	2x 1000Mbps SFP, 8x 10/100/1000Mbps
PoE ports (number)	8
Management	no
Supply voltage	100~240VAC
Power over Ethernet	IEEE 802.3af, IEEE 802.3at
PoE budget	130 W
Operating temperature	0°C ~ +45°C, @ Humidity 10%-90% (non-condensing)
Weight	600g
Manufacturer order number	242363

NSUR-1008M0A

Optional Accessory


SKU	Name	Description
242377	NSFP-20000DLC	SFP Module, 1.25 Gbps, 20KM, Duplex LC, Tx/Rx at 1310 nm, hot-plug, SFP MSA-compliant, Digital Monitoring
242376	NSFP-20000SLC	SFP Modul Pair, 1.25 Gbps, 20 km, Simplex LC, Tx/Rx at 1310/1550nm, SFP MSA-compliant, Digital Monitoring
242375	NSFP-20000SSC	SFP Modul Pair, 1,25Gbps, 20KM, Simplex SC, Tx/Rx at 1310/1550nm, SFP MSA-compliant, Digital Monitoring
242374	NSFP-3000SLC	SFP Modul Pair, 1,25Gbps, 3KM, Simplex LC, Tx/Rx at 1310/1550nm, SFP MSA-compliant, Digital Monitoring
242373	NSFP-3000SSC	SFP Modul Pair, 1,25Gbps, 3KM, Simplex SC, Tx/Rx at 1310/1550nm, SFP MSA-compliant, Digital Monitoring



- NSFP-20000SS
- NSFP-3000SSC



- NSFP-3000SLC
- NSFP-20000



- NSFP-20000DLC

